

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

GENERAL INDEX

A	PAGE
Abderhalden reaction with bacterial substrates, The mechanism of	14
Abscesses, equine, bovine, and ovine, The diphtheroid bacillus of Preisz-Nocard from. Ulcerative lymphangitis and caseous lymphadenitis - Acids or alkalies, The variations in reaction of the blood of different species as indicated by hemolysis of the red blood cells when treated	195
with	151
Ames, Iowa, A milk-borne paratyphoid outbreak in Anesthetics, The influence of splenectomy and, on the nonspecific comple-	143
ment-fixation sometimes shown by normal rabbit and dog sera - Antibody and antigen in the body, The coexistence of	32 631
Anti-hog cholera serum by the intravenous method, The value of virulent salt solution in the production of	118
Antilytic and nonspecific complement-fixation reactions, The effect of heat on normal rabbit and dog sera in relation to	64
Appendicitis and parotitis probably due to streptococci contained in dairy products, An epidemic of	383
Arkin, Aaron, and Corper, H. J. The tuberculocidal action of arsenic compounds and their distribution in the tuberculous organism. Studies on the biochemistry and chemotherapy of tuberculosis, XIV	
Arsenic compounds and their distribution in the tuberculous organism, The tuberculocidal action of	
В	
Bacilli, typhoid, from stools, A method of preserving typhoid stools for delayed examination, and a comparative study of the efficacy of eosin brilliant-green agar, eosin methylene-blue agar, and endo agar for the isolation of	653 586
Bacillus coli in quantity, The production and collection of, on synthetic media	391
Bacillus, diphtheroid, of Preisz-Nocard from equine, bovine, and ovine abscesses. Ulcerative lymphangitis and caseous lymphadenitis - Bacillus paratyphosus B, A case of infection of lymph glands with -	195 347
Bacillus, typhoid, Further investigation into the precipitation of, by means of definite hydrogen-ion concentration	209
Bacillus typhosus from stools, A new culture medium for the isolation of Bacteria of milk freshly drawn from normal udders	
Bacteria, The correlation of the Voges-Proskauer and methyl-red reactions in the colon-aerogenes group of	358
Bacterial substrates, The mechanism of the Abderhalden reaction with Bactericidal and fungicidal action of copper salts	14 368
Bactericidal and protozoacidal activity of emetin hydrochlorid in vitro,	
BENGIS, ROBERT. The production and collection of B. coli in quantity on synthetic media	
Biochemistry and chemotherapy of tuberculosis, Studies on. The tuberculo- cidal action of arsenic compounds and their distribution in the tuber- culous organism, 335. The bactericidal and fungicidal action of	
conner salts	368

Blastomyces dermatitidis in the tissue lesion, A variation of gemmation of	PAGE 618
Blood of different species, The variations in reaction of, as indicated by hemolysis of the red blood cells when treated with acids or alkalies Bovine, and ovine abscesses, The diphtheroid bacillus of Preisz-Nocard	151
from equine. Ulcerative lymphangitis and caseous lymphadenitis - Brilliant-green culture medium, Improved, for the isolation of typhoid	195
bacilli from stools	647 1
Brown, E. V. L., Irons, Ernest E., and Nadler, W. H. The localization of streptococci in the eye. A study of experimental iridocyclitis in rabbits	315
С	
CALDWELL, F. C., TONNEY, F. O., and GRIFFIN, P. J. The examination of the urine and feces of suspect typhoid-carriers, with a report on elaterin catharsis	239 607
Carriers, Experimental cholera	207
Carriers, suspect typhoid-, The examination of the urine and feces of, with a report on elaterin catharsis	239
Catharsis, elaterin, The examination of the urine and feces of suspect	220
typhoid-carriers, with a report on	239 180
Chemotherapy of tuberculosis, Studies on the biochemistry and. The tuberculocidal action of arsenic compounds and their distribution in the tuberculous organism, 335. The bactericidal and fungicidal action	100
of copper salts	3 68
Cholera-carriers, Experimental	307
Cholera hogs, A filterable organism isolated from the tissues of Cholera vibrio, A new differential culture medium for the	124 601
Cleveland, Studies on diphtheria in. Diphtheria-carriers	607
CLURMAN, A. W., and Teague, Oscar. A method of preserving typhoid stools for delayed examination, and a comparative study of the efficacy of eosin brilliant-green agar, eosin methylene-blue agar, and endo agar for the isolation of typhoid bacilli from stools, 653. An improved brilliant-green culture medium for the isolation of typhoid bacilli	007
from stools	647
paratyphosus B	349
Colon-aerogenes group of bacteria, The correlation of the Voges-Proskauer and methyl-red reactions in the	358
Complement-fixation, nonspecific, Studies in. I. Nonspecific complement-fixation by normal rabbit serum, 20. II. Nonspecific complement-fixation by normal dog serum, 27. III. The influence of splenectomy and anesthetics on the nonspecific complement-fixation sometimes shown by normal rabbit and dog sera, 32. IV. The relation of serum lipoids and proteins to nonspecific complement-fixation with normal rabbit and dog sera, 46. V. The effect of heat on normal rabbits and dog sera in	
relation to antilytic and nonspecific complement-fixation reactions - Соок, М. W., and Sмітн, G. H. The mechanism of the Abderhalden reac-	64
tion with bacterial substrates	14 368
CORBETT, LAMERT S., and Good, Edwin S. A study of gas-production by different strains of Bacillus abortivo-equinus	586

Nocard from. Ulcerative lymphangitis and caseous lymphadenitis - 195 Evans, Alice C. The bacteria of milk freshly drawn from normal udders Experimental cholera-carriers 307 Eye, The localization of streptococci in the. A study of experimental iridocyclitis in rabbits 315 F Fecces of suspect typhoid-carriers, The examination of the urine and, with a report on elaterin catharsis 239 Feces, The use of brilliant green for the isolation of typhoid and paratyphoid bacilli from 1 Filterable organism isolated from the tissues of cholera hogs 124 Fungicidal action of copper salts, The bactericidal and 368 G Gas-production by different strains of Bacillus abortivo-equinus, A study of 586 Gemmation of Blastomyces dermatitidis in the tissue lesion. A variation of Glands, lymph, A case of infection of, with Bacillus paratyphosus B - 349 Good, Edwin S., and Corrett, Lamert S. A study of gas-production by different strains of Bacillus abortivo-equinus 586 GOOD, Edwin S., and Smith, Wallace V. The production of a hyperimmune serum for infectious abortion in mares	Epidemiology of pellagra in Nashville, Tennessee Equine, bovine, and ovine abscesses, The diphtheroid bacillus of Preisz-	PAGE 501
Feces of suspect typhoid-carriers, The examination of the urine and, with a report on elaterin catharsis 239 Feces, The use of brilliant green for the isolation of typhoid and paratyphoid bacilli from 124 Fungicidal organism isolated from the tissues of cholera hogs 124 Fungicidal action of copper salts, The bactericidal and	Nocard from. Ulcerative lymphangitis and caseous lymphadenitis - EVANS, ALICE C. The bacteria of milk freshly drawn from normal udders Experimental cholera-carriers	437
Feces of suspect typhoid-carriers, The examination of the urine and, with a report on elaterin catharsis	iridocyclitis in rabbits	315
a report on elaterin catharsis	F	
typhoid bacilli from 1 Filterable organism isolated from the tissues of cholera hogs 124 Fungicidal action of copper salts, The bactericidal and 368 Gas-production by different strains of Bacillus abortivo-equinus, A study of 586 Gammation of Blastomyces dermatitidis in the tissue lesion. A variation of Glands, lymph, A case of infection of, with Bacillus paratyphosus B - 349 Good, Edwin S., and Corbett, Lamert S. A study of gas-production by different strains of Bacillus abortivo-equinus		239
Gas-production by different strains of Bacillus abortivo-equinus, A study of		124
Study of	G	
Study of	<u> </u>	
Gemmation of Blastomyces dermatitidis in the tissue lesion. A variation of Glands, lymph, A case of infection of, with Bacillus paratyphosus B - 3000, Edwin S., and Corrections of Bacillus abortivo-equinus		586
different strains of Bacillus abortivo-equinus	Gemmation of Blastomyces dermatitidis in the tissue lesion. A variation of Glands, lymph, A case of infection of, with Bacillus paratyphosus B	618
Good, Edwin S., and Smith, Wallace V. The production of a hyperimmune serum for infectious abortion in mares 397 Gott, Edwin J., and Healy, Daniel J. A filterable organism isolated from the tissues of cholera hogs 124 Graham, Robert, and Himmelberger, L. R. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 118 Griffin, P. J., Caldwell, F. C., and Tonney, F. O. The examination of the urine and feces of suspect typhoid-carriers, with a report on elaterin catharsis 239 Guinea-pig, Simultaneous injections of streptococci and dahlia in the - 353 H HALL, IVAN C., and Stone, Raymond V. The diphtheroid bacillus of Preisz-Nocard from equine, bovine, and ovine abscesses. Ulcerative lymphangitis and caseous lymphadenitis 195 Healy, Daniel J., and Gott, Edwin J. A filterable organism isolated from the tissues of cholera hogs 194 Hemolysis of blood cells when treated with acids or alkalies, The variations in reaction of the blood of different species as indicated by - 151 Herpes zoster, The etiology and experimental production of 18 Hodgkin's disease, Immunologic studies on	different strains of Bacillus abortivo-equipus	586
from the tissues of cholera hogs 124 GRAHAM, ROBERT, and Himmelberger, L. R. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 118 GRIFFIN, P. J., Caldwell, F. C., and Tonney, F. O. The examination of the urine and feces of suspect typhoid-carriers, with a report on elaterin catharsis 239 Guinea-pig, Simultaneous injections of streptococci and dahlia in the - 353 H HALL, IVAN C., and Stone, Raymond V. The diphtheroid bacillus of Preisz-Nocard from equine, bovine, and ovine abscesses. Ulcerative lymphangitis and caseous lymphadenitis 195 Heally, Daniel J., and Gott, Edwin J. A filterable organism isolated from the tissues of cholera hogs 124 Hemolysis of blood cells when treated with acids or alkalies, The variations in reaction of the blood of different species as indicated by - 151 Herpes zoster, The etiology and experimental production of 477 HIMMELBERGER, L. R., and Graham, Robert. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 118 Hodgkin's disease, Immunologic studies on 569 Hoffman, W. H., McClure, W. B., and Sauer, L. W. Simultaneous injections of streptococci and dahlia in the guinea-pig 353 Hogs, cholera, A filterable organism isolated from the tissues of 124 Holt-Harris, J. E., and Teague, Oscar. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis 131	Good, Edwin S., and Smith, Wallace V. The production of a hyperimmune serum for infectious abortion in mares	397
Graham, Robert, and Himmelberger, L. R. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method		124
method	GRAHAM, ROBERT, and HIMMELBERGER, L. R. The value of virulent salt	124
Griffin, P. J., Caldwell, F. C., and Tonney, F. O. The examination of the urine and feces of suspect typhoid-carriers, with a report on elaterin catharsis 239 Guinea-pig, Simultaneous injections of streptococci and dahlia in the - 353 H HALL, Ivan C., and Stone, Raymond V. The diphtheroid bacillus of Preisz-Nocard from equine, bovine, and ovine abscesses. Ulcerative lymphangitis and caseous lymphadenitis 195 Healy, Daniel J., and Gott, Edwin J. A filterable organism isolated from the tissues of cholera hogs 124 Hemolysis of blood cells when treated with acids or alkalies, The variations in reaction of the blood of different species as indicated by - 151 Herpes zoster, The etiology and experimental production of 477 Himmelberger, L. R., and Graham, Robert. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 118 Hodgkin's disease, Immunologic studies on 18 Hodgkin's disease, Immunologic studies on 18 Hodgkin's disease, Immunologic studies on 18 Hodgkin's disease, Immunologic studies on		440
the urine and feces of suspect typhoid-carriers, with a report on elaterin catharsis 239 Guinea-pig, Simultaneous injections of streptococci and dahlia in the - 353 H HALL, IVAN C., and Stone, Raymond V. The diphtheroid bacillus of Preisz-Nocard from equine, bovine, and ovine abscesses. Ulcerative lymphangitis and caseous lymphadenitis 195 HEALY, Daniel J., and Gott, Edwin J. A filterable organism isolated from the tissues of cholera hogs 124 Hemolysis of blood cells when treated with acids or alkalies, The variations in reaction of the blood of different species as indicated by - 151 Herpes zoster, The etiology and experimental production of 477 HIMMELBERGER, L. R., and Graham, Robert. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 118 Hodgkin's disease, Immunologic studies on 569 HOFFMAN, W. H., McClure, W. B., and Sauer, L. W. Simultaneous injections of streptococci and dahlia in the guinea-pig 353 Hogs, cholera, A filterable organism isolated from the tissues of - 124 HOLT-HARRIS, J. E., and Teague, Oscar. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis 131		118
HALL, IVAN C., and Stone, Raymond V. The diphtheroid bacillus of Preisz-Nocard from equine, bovine, and ovine abscesses. Ulcerative lymphangitis and caseous lymphadenitis 195 Healy, Daniel J., and Gott, Edwin J. A filterable organism isolated from the tissues of cholera hogs 124 Hemolysis of blood cells when treated with acids or alkalies, The variations in reaction of the blood of different species as indicated by - 151 Herpes zoster, The etiology and experimental production of 477 HIMMELBERGER, L. R., and Graham, Robert. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 118 Hodgkin's disease, Immunologic studies on 18 Hodgkin's disease, Immunologic studies on 353 Hogs, cholera, A filterable organism isolated from the tissues of - 124 HOLT-HARRIS, J. E., and Teague, Oscar. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis - 131		
HALL, IVAN C., and Stone, Raymond V. The diphtheroid bacillus of Preisz-Nocard from equine, bovine, and ovine abscesses. Ulcerative lymphangitis and caseous lymphadenitis 195 Healy, Daniel J., and Gott, Edwin J. A filterable organism isolated from the tissues of cholera hogs 124 Hemolysis of blood cells when treated with acids or alkalies, The variations in reaction of the blood of different species as indicated by - 151 Herpes zoster, The etiology and experimental production of 477 HIMMELBERGER, L. R., and Graham, Robert. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 118 Hodgkin's disease, Immunologic studies on 18 Hodgkin's disease, Immunologic studies on 353 Hogs, cholera, A filterable organism isolated from the tissues of - 124 Holt-Harris, J. E., and Teague, Oscar. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis - 131		
Hall, Ivan C., and Stone, Raymond V. The diphtheroid bacillus of Preisz-Nocard from equine, bovine, and ovine abscesses. Ulcerative lymphangitis and caseous lymphadenitis 195 Healy, Daniel J., and Gott, Edwin J. A filterable organism isolated from the tissues of cholera hogs 124 Hemolysis of blood cells when treated with acids or alkalies, The variations in reaction of the blood of different species as indicated by - 151 Herpes zoster, The etiology and experimental production of 477 Himmelberger, L. R., and Graham, Robert. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 118 Hodgkin's disease, Immunologic studies on 569 Hoffman, W. H., McClure, W. B., and Sauer, L. W. Simultaneous injections of streptococci and dahlia in the guinea-pig 353 Hogs, cholera, A filterable organism isolated from the tissues of - 124 Holt-Harris, J. E., and Teague, Oscar. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis - 131	Guinea-pig, Simultaneous injections of streptococci and danua in the	353
Preisz-Nocard from equine, bovine, and ovine abscesses. Ulcerative lymphangitis and caseous lymphadenitis 195 Healy, Daniel J., and Gott, Edwin J. A filterable organism isolated from the tissues of cholera hogs 124 Hemolysis of blood cells when treated with acids or alkalies, The variations in reaction of the blood of different species as indicated by - 151 Herpes zoster, The etiology and experimental production of 477 Himmelberger, L. R., and Graham, Robert. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 118 Hodgkin's disease, Immunologic studies on 186 Hoffman, W. H., McClure, W. B., and Sauer, L. W. Simultaneous injections of streptococci and dahlia in the guinea-pig 353 Hogs, cholera, A filterable organism isolated from the tissues of - 124 Holt-Harris, J. E., and Teague, Oscar. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis - 131	H	
Healy, Daniel J., and Gott, Edwin J. A filterable organism isolated from the tissues of cholera hogs		
from the tissues of cholera hogs 124 Hemolysis of blood cells when treated with acids or alkalies, The variations in reaction of the blood of different species as indicated by - 151 Herpes zoster, The etiology and experimental production of 477 HIMMELBERGER, L. R., and Graham, Robert. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 118 Hodgkin's disease, Immunologic studies on 569 Hoffman, W. H., McClure, W. B., and Sauer, L. W. Simultaneous injections of streptococci and dahlia in the guinea-pig 353 Hogs, cholera, A filterable organism isolated from the tissues of - 124 Holt-Harris, J. E., and Teague, Oscar. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis - 131	lymphangitis and caseous lymphadenitis	195
Hemolysis of blood cells when treated with acids or alkalies, The variations in reaction of the blood of different species as indicated by - 151 Herpes zoster, The etiology and experimental production of 477 HIMMELBERGER, L. R., and GRAHAM, ROBERT. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 118 Hodgkin's disease, Immunologic studies on 569 HOFFMAN, W. H., McClure, W. B., and Sauer, L. W. Simultaneous injections of streptococci and dahlia in the guinea-pig 353 Hogs, cholera, A filterable organism isolated from the tissues of - 124 HOLT-HARRIS, J. E., and Teague, Oscar. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis - 131	from the tissues of cholera hogs	124
Herpes zoster, The etiology and experimental production of 477 HIMMELBERGER, L. R., and GRAHAM, ROBERT. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 569 Hodgkin's disease, Immunologic studies on 569 HOFFMAN, W. H., McClure, W. B., and Sauer, L. W. Simultaneous injections of streptococci and dahlia in the guinea-pig 353 Hogs, cholera, A filterable organism isolated from the tissues of - 124 HOLT-HARRIS, J. E., and Teague, Oscar. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis 131	Hemolysis of blood cells when treated with acids or alkalies, The varia-	
Himmelberger, L. R., and Graham, Robert. The value of virulent salt solution in the production of antihog-cholera serum by the intravenous method 569 Hogkin's disease, Immunologic studies on 569 Hoffman, W. H., McClure, W. B., and Sauer, L. W. Simultaneous injections of streptococci and dahlia in the guinea-pig 353 Hogs, cholera, A filterable organism isolated from the tissues of - 124 Holt-Harris, J. E., and Teague, Oscar. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis - 131	tions in reaction of the blood of different species as indicated by	151
venous method	HIMMELBERGER, L. R., and GRAHAM, ROBERT. The value of virulent salt	4//
HOFFMAN, W. H., McClure, W. B., and Sauer, L. W. Simultaneous injections of streptococci and dahlia in the guinea-pig 353 Hogs, cholera, A filterable organism isolated from the tissues of - 124 HOLT-HARRIS, J. E., and Teague, Oscar. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis - 131	venous method	
tions of streptococci and dahlia in the guinea-pig 353 Hogs, cholera, A filterable organism isolated from the tissues of - 124 HOLT-HARRIS, J. E., and TEAGUE, OSCAR. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis - 131	Hodgkin's disease, Immunologic studies on	569
Hogs, cholera, A filterable organism isolated from the tissues of 124 HOLT-HARRIS, J. E., and TEAGUE, OSCAR. A new culture medium for the isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis 131		353
isolation of Bacillus typhosus from stools 596 Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis 131	Hogs, cholera, A filterable organism isolated from the tissues of	
Hosts, intermediate, of Paragonimus westermanii, Certain fresh-water crabs as. The mode of infection in pulmonary distomiasis 131		= 0 -
crabs as. The mode of infection in pulmonary distomiasis 131		596
		131
fection, I 180	HSU, PAUL H., and Norton, John F. The physical chemistry of disin-	

General Index	6 7 9
Hubbard, L. W., and Winslow, CE. A. Epidemiology and symptomatology of an outbreak of septic sore throat in Westchester county,	PAGE
New York	106
vitro, 247; in vivo	266 209
Hyperimmune serum for infectious abortion in mares, The production of	397
I	
Infectious abortion in mares, The production of a hyperimmune serum for Infection of lymph glands with Bacillus paratyphosus B, A case of Infection in pulmonary distomiasis, The mode of. Certain fresh-water	39 7 349
crabs as intermediate hosts of Paragonimus westermanii Intestinal parasitism of dogs, Complement-fixation in Intradermal reactions, An intradermal reaction to agar and an interpreta-	131 88
tion of	415 402
Intravenous method, The value of virulent salt solution in the production of antihog-cholera serum by the Iowa, A milk-borne paratyphoid outbreak in Ames	118
Iowa, A milk-borne paratyphoid outbreak in Ames Iridocyclitis, experimental, in rabbits, A study of. The localization of streptococci in the eye	143 315
IRONS, ERNEST E., BROWN, E. V. L., and NADLER, W. H. The localization of streptococci in the eye. A study of experimental iridocyclitis in rabbits	315
_	
J JOBLING, JAMES W., and PETERSEN, WILLIAM. The epidemiology of pellagra in Nashville, Tennessee	501
K	
Kemper, Constantine F. Further investigation into the precipitation of the typhoid bacillus by means of definite hydrogen-ion concentration Kolmer, John A. Studies in nonspecific complement-fixation. IV. The	209
relation of serum lipoids and proteins to nonspecific complement-fixation with normal rabbit and dog sera Kolmer, John A., and Trist, Mary E. Studies in nonspecific complement-	46
fixation. I. Nonspecific complement-fixation by normal rabbit serum, 20. V. The effect of heat on normal rabbit and dog sera in relation to antilytic and nonspecific complement-fixation reactions	64
Kolmer, John A., Trist, Mary E., and Heist, George D. Studies in non-specific complement-fixation. II. Nonspecific complement-fixation by normal dog sera, 27. Complement-fixation in intestinal parasitism	00
of dogs	88
the nonspecific complement-fixation sometimes shown by normal rab- bit and dog sera	32
cidal activity of emetin hydrochlorid in vitro, 247; in vivo Krumwiede, Charles, Jr., Pratt, Josephine S., and McWilliams, Helen	266
I. The use of brilliant green for the isolation of typhoid and paratyphoid bacilli from feces Kyes, Preston. The natural resistance of the pigeon to the pneumococcus	1 272
The natural resistance of the pageon to the pheumococcus	2,2

L	PAGE
Leptothrix associated with chronic hemorrhagic nephritis	216
Lesion, tissue. A variation of gemmation of Blastomyces dermatitidis in the	618
reactions in the colon-aerogenes group of bacteria, 358. The sanitary	
LEVINE, MAX, and EBERSON, FREDERICK. A milk-borne paratyphoid outbreak in Ames, Iowa	143
Lipoids and proteins, serum, The relation of, to nonspecific complement-fixation with normal rabbit and dog sera	46
Localization of streptococci in the eye. A study of experimental iridocyclitis in rabbits	315
bacillus of Preisz-Nocard from equine, bovine, and ovine abscesses - Lymph glands, A case of infection of, with Bacillus paratyphosus B -	195 349
M	
Mares, The production of a hyperimmune serum for infectious abortion in McClure, W. B., Hoffman, W. H., and Sauer, L. B. Simultaneous injec-	397
tions of streptococci and dahlia in the guinea-pig McWilliams, Helen I., Krumwiede, Charles, Jr., and Pratt, Josephine S. The use of brilliant green for the isolation of typhoid and para-	353
typhoid bacilli from feces	391 601
Medium, An improved brilliant-green culture, for the isolation of typhoid bacilli from stools	647
Medium, A new culture, for the isolation of B. typhosus from stools Methyl-red reactions in the colon-aerogenes group of bacteria, The correlation of the Voges-Proskauer and	596 358
Milk-borne paratyphoid outbreak in Ames, Iowa Milk freshly drawn from normal udders, The bacteria of MILLER, M. J., PERKINS, R. G., and RUH, H. O. Studies on diphtheria in	143 437
Cleveland, I. Diphtheria-carriers	607
Moore, J. J. Immunologic Studies on Hodgkin's disease Mouth, Observations upon the endamebae of the. I. Endamoeba gingivalis	569 220
(buccalis)	220
N N	
NADLER, W. H., IRONS, ERNEST, E., and BROWN, E. V. L. The localization of streptococci in the eye. A study of experimental iridocyclitis in rabbits	315
NAKAGAWA, KOAN. The mode of infection in pulmonary distomiasis. Certain fresh-water crabs as intermediate hosts of Paragonimus westermanii	131
Nashville, Tennessee, The epidemiology of pellagra in Natural resistance of the pigeon to the pneumococcus	501 272
Nephritis, chronic hemorrhagic, A leptothrix associated with Nonspecific complement-fixation, Studies in. See Complement-fixation. Norton, John F., and Hsu, Paul H. The physical chemistry of disininfection, I	216 180
O	
Oftedal, Sverre, and Rosenow, Edward C. The etiology and experimental production of herpes zoster	477
Ovine abscesses, The diphtheroid bacillus of Preisz-Nocard from equine, boyine, and. Ulcerative lymphangitis and caseous lymphadenitis	195

Rosenow, Edward C., and Dunlap, Stella I. An epidemic of appendi-

citis and parotitis probably due to streptococci in dairy products - Rosenow, Edward C., and Oftedal, Sverre. The etiology and experi-

mental production of herpes zoster

383

477

S	PAGE
Salt solution, virulent, in the production of antihog-cholera serum by the intravenous method, The value of	118
Salts, copper, The bactericidal and fungicidal action of	3 68
Sanitary control of swimming pools	293
SAUER, L. B., HOFFMAN, W. H., and McClure, W. B. Simultaneous injections of streptococci and dahlia in the guinea-pig	353
Schöbl, Отто. Experimental cholera-carriers	307
Sensitization, intradermal. Intradermal reactions to emulsions of normal	
and pathologic skin, 402. An intradermal reaction to agar, and an interpretation of intradermal reactions	415
Septic sore throat in Westchester county, New York, Epidemiology and	413
symptomatology of an outbreak of	106
Sera, normal rabbit and dog, The effect of heat on, in relation to anti-	
lytic and nonspecific complement-fixation reactions Sera, normal rabbit and dog, The influence of splenectomy and anesthetics	64
on the nonspecific complement-fixation sometimes shown by	32
Sera, normal rabbit and dog, The relation of serum lipoids and proteins to	-
nonspecific complement-fixation with	4 6
Serum, antihog-cholera, by the intravenous method, The value of virulent salt solution in the production of	118
Serum, hyperimmune, for infectious abortion in mares, The production of	397
Serum lipoids and proteins, The relation of, to nonspecific complement-	
fixation with normal rabbit and dog sera	46
Serum, normal dog, Nonspecific complement-fixation by Serum, normal rabbit, Nonspecific complement-fixation by	27 20
SHERMAN, HOPE, and DEWITT, LYDIA M. The bactericidal and fungicidal	20
action of copper salts. Studies in the biochemistry and chemotherapy	
of tuberculosis, XV	368
Skin, normal and pathologic, Intradermal reactions to emulsions of SMITH, ALLEN J., and KOLMER, JOHN A. The bactericidal and protozoa-	402
cidal activity of emetin hydrochlorid in vitro, 247; in vivo	266
SMITH, G. H., and Cook, M. W. The mechanism of the Abderhalden	
reaction with bacterial substrates	14
SMITH, WALLACE A., and Good, Edwin S. The production of a hyperimmune serum for infectious abortion in mares	397
Sore-throat, septic, in Westchester county, New York, Epidemiology and	371
symptomatology of an outbreak of	106
Splenectomy, The influence of, and anesthetics on the nonspecific comple-	22
ment-fixation sometimes shown by normal rabbit and dog sera - Stokes, John H. Studies on intradermal sensitization, I. Intradermal	32
reactions to emulsions of normal and pathologic skin, 402. Studies	
on intradermal sensitization, II. An intradermal reaction to agar, and	
an interpretation of intradermal reactions	415
STONE, RAYMOND V., and HALL, IVAN C. The diphtheroid bacillus of Preisz-Nocard from equine, bovine, and ovine abscesses. Ulcerative lymph-	
angitis and caseous lymphadenitis	195
Stools, A new culture medium for the isolation of Bacillus typhosus from	596
Stools, An improved brilliant-green culture medium for the isolation of	(47
typhoid bacilli from	647
comparative study of the efficacy of eosin brilliant-green agar, eosin	
methylene-blue agar, and endo agar for the isolation of typhoid	
bacilli from	653
Streptococci contained in dairy products, An epidemic of appendicitis and	353
parotitis probably due to	383

General Index	683
Streptococci in the eye, The localization of. A study of experimental iridocyclitis in rabbits	293 106
T	
Teague, Oscar, and Clurman, A. W. An improved brilliant-green culture medium for the isolation of typhoid bacilli from stools, 647. A method of preserving typhoid stools for delayed examination, and a study of the efficacy of eosin brilliant-green agar, eosin methylene-blue agar, and endo agar for the isolation of typhoid bacilli from stools—Teague, Oscar, and Holt-Harris, J. E. A new culture medium for the	653
isolation of Bacillus typhosus from stools Teague, Oscar, and Travis, W. C. A new differential culture medium for the cholera vibrio	596 601
Tennessee, The epidemiology of pellagra in Nashville Tonney, F. O., Caldwell, F. C., and Griffin, P. J. The examination of the urine and feces of suspect typhoid-carriers, with a report on elaterin	501
catharsis	239
Travis, W. C., and Teague, Oscar. A new differential culture medium for the cholera vibrio	601
Trist, Mary E., and Kolmer, John A. Studies in nonspecific complement-fixation. I. Nonspecific complement-fixation by normal rabbit and dog sera	20
Trist, Mary E., Kolmer, John A., and Heist, George D. Studies in non-specific complement-fixation. II. Nonspecific complement-fixation by normal dog sera	27
Tuberculocidal action of arsenic compounds and their distribution in the tuberculous organism	335
Tuberculosis, Studies on the biochemistry and chemotherapy of. The bactericidal and fungicidal action of copper salts Typhoid and paratyphoid bacilli from feces, The use of brilliant green	368
for the isolation of Typhoid bacilli from stools, A method of preserving typhoid stools for delayed examination, and a comparative study of the efficacy of eosin	1
brilliant-green agar, eosin methylene-blue agar, and endo agar for the isolation of	653
Typhoid bacilli from stools, An improved brilliant-green culture medium for the isolation of	647
Typhoid bacillus, Further investigation into the precipitation of, by means of definite hydrogen-ion concentration	
Typhoid-carriers, suspect, The examination of the urine and feces of, with a report on elaterin catharsis	
U	
Udders, normal, The bacteria of milk freshly drawn from Urine and feces of suspect typhoid-carriers, The examination of, with a report on elaterin catharsis	437 239
V	207
Variation of gemmation of Blastomyces dermatitidis in the tissue lesion	618
Variations in reaction of the blood of different species as indicated by hemolysis of the red blood cells when treated with acids or alkalies	

	PAGE
Vibrio, cholera, A new differential culture medium for	601
Virulent salt solution in the production of antihog-cholera serum by the intravenous method, The value of Voges-Proskauer and methyl-red reactions in the colon-aerogenes group	118
of bacteria, The correlation of	358
W	
my cee acrimational me the theorem	618
Westchester county, New York, The epidemiology and symptomatology of an outbreak of septic sore throat in	106
WINSLOW, CE. A., and HUBBARD, L. W. See Westchester county.	